BROMALEX Tablet 3 mg

(Bromazepam) Tablets

Composition:

Each tablet contains:

Bromazepam BP .....3mg.

Finished Product Specs.: In-House.

Properties and effects:

In low dosage, Bromalex (Bromazepam) selectively reduces tension and anxiety. In high dosage, sedative and muscle-relaxant properties appear.

Indications:

Emotional disturbances: Anxiety and tension states, anxious, depressive mood, nervous tension, agitation and. insomnia.

Anxiety and tension-related: *functional disturbances of the cardiovascular and the respiratory systems* such as pseudoangina pectoris, precordial anxiety, tachycardia, emotogenic tension, dyspnea and hyperventilation; *functional disturbances of the gastrointestinal tract,* including irritable bowel syndrome, ulcerative colitis, epigastric pain, spasm, bloating and diarrhoea; *functional disturbances of the genitourinary tract,* for instance irritable bladder, urinary frequency and dysmenorrhea; Other psychosomatic disturbances such as psychogenic headache and psychogenic dermatosis. Bromazepam is furthermore suitable for treatment of anxiety and tension originating in chronic organic disease and as an adjuvant to psychotherapy in psychoneurosis.

Standard Dosage:

Average dosage for outpatient therapy: 1.5-3mg up to three times daily. Severe cases, especially in hospital: 6-12mg two or three times daily. These dosage are general recommendations and actual dosage should be individually determined.

Special dosage instructions:

If use of the drug is indicated in children, the dosage should be adjusted to their low bodyweight. Elderly and debilitated patients require lower doses because of individual variations in sensitivity and pharmacokinetics.

Restrictions on use:

Contraindications: Use of this drug in patients with a known hypersensitivity to Bromazepam and any of the excipients is contraindicated. In patients with myasthenia gravis who are prescribed Bromazepam, care should be taken on account of pre-existing muscle weakness. The established principle of not prescribing drugs of any kind in early pregnancy except when absolutely necessary should also be borne in mind. As the active ingredient of Bromazepam (Bromalex) can pass into the breast milk, nursing mothers must not take Bromazepam.

Availability:

Bromalex is available in pack of 30 tablets (3 blister strips of 10 tablets).

Storage:

Store below 30°C.

Protect from heat, light and moisture.

Keep all medicines out of the reach of children.

Manufactured by :

Indus Pharma (Pvt.) Ltd.

65/27, Korangi Industrial Area,

Karachi-74900, Pakistan.

02011400002R1